

AMENDED

APPLICATION FOR PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date of filing in State Engineer's Office..... FEB 01 1991
Returned to applicant for correction..... FEB 27 1991
Corrected application filed..... APR 26 1991
Map filed..... APR 26 1991

The applicant..... ECO-VISION, INC.
3445 Skyline Blvd., of..... Reno
Street and No. or P.O. Box No. City or Town
Nevada 89509
State and Zip Code No., hereby make^S application for permission to appropriate the public
waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a
copartnership or association, give names of members.)..... Incorporated in Nevada 1990

1. The source of the proposed appropriation is..... Underground
Name of stream, lake, spring, underground or other source
2. The amount of water applied for is..... 10.00 c.f.s. 7239.66 ac. ft. annually second-feet
One second-foot equals 448.83 gals. per min.
(a) If stored in reservoir give number of acre-feet.....
3. The water to be used for..... Municipal Purposes
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.
4. If use is for:
(a) Irrigation, state number of acres to be irrigated.....
(b) Stockwater, state number and kinds of animals to be watered.....
(c) Other use (describe fully under "No. 12. Remarks")..... See Attachment "A"
(d) Power:
(1) Horsepower developed.....
(2) Point of return of water to stream.....
5. The water is to be diverted from its source at the following point..... SW¼ SW¼ Section 16, T.28N., R.34E.,
Describe as being within a 40-acre subdivision of public
MDM at a point from which the SE Corner of Section 7 T.28N, R.35E., MDM bears
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.
N 74° 24' 56" E a distance of 26280.8 feet
6. Place of use T33N R52E (Carlin), T32N R45E (Battle Mountain), T36N R38E (Winnemucca),
Describe by legal subdivision. If on unsurveyed land, it should be so stated.
T27N R31E (Lovelock), T20N R24E (Fernley), T15N R20E (Carson City), T18N R19E,
T18N R20E T20N R18E MDM, T21N R18E MDM, T19N R18E, T19N R19E, T19N R20E, T21N
R19E, T21N R20E, T20N T19E, T20N R20E (Reno & Sparks) T34N R55E (Elko) all
within MDM.
Use Place of Use Map filed under Application 55707
7. Use will begin about..... January 1 and end about..... December 31 of each year.
Month and Day Month and Day
8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and
specifications of your diversion or storage works.)..... drilled and cased well equipped with motor,
State manner in which water is to be diverted, i.e. diversion structure, ditches and
pump and pipeline to place of use.
flumes, drilled well with pump and motor, etc.
9. Estimated cost of works..... \$150,000.00

10. Estimated time required to construct works.....four years
If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use.....ten years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

Total combined duty not to exceed 21,718.98 acre-feet annually from the following applications 55708, 55720 and 55721.

By.....s/Milton Manoukian
Milton Manoukian
3445 Skyline Boulevard
Reno, Nevada 89509
Compared.....bc/bc
Protested.....See File

DENIAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby deny the same, subject to the following limitations and conditions:

Applications 55551, 55552, 55553, 55554, 55555, 55556, 55557, 55558, 55559, 55560, 55561, 55562, 55563, 55564, 55565, 55566, 55567, 55568, 55569, 55570, 55571, 55572, 55573, 55574, 55707, 55708, 55709, 55710, 55711, 55712, 55713, 55714, 55715, 55716, 55717, 55718, 55719, 55720, 55721, 56303, 56304, 56305, 56306, 56307, 56308, 56309, 56310, 56311, 56312, 56313, 56314, 56315, 56316, 56317, 56318, 56319 and 56320 are hereby denied on the grounds that the applicant has not submitted the information requested by the State Engineer and, therefore, the granting of said applications without the additional information would not be in the public interest. No ruling is made regarding the merits of the protests and the request for a 90 day extension of time to supply the additional information is hereby denied.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before.....

Proof of completion of work shall be filed on or before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before.....

Completion of work filed..... IN TESTIMONY WHEREOF, I.....R. MICHAEL TURNIPSEED, P.E.
State Engineer of Nevada, have hereunto set my hand and the seal of my
Proof of beneficial use filed..... office, this.....19th day of.....June
Cultural map filed..... A.D. 19.....95
Certificate No.....Issued.....

State Engineer

ATTACHMENT "A"

Statistic figures taken from Nevada Department of Census.

<u>City</u>	<u>Current Population</u>	<u>Ten Year Future Population</u>
Elko	14,736.00	20,925.12
Carlin	2,220.00	3,152.40
Battle Mtn.	3,542.00	5,029.64
Winnemucca	6,134.00	8,710.28
Lovelock	2,069.00	2,937.98
Fernley	5,164.00	7,322.88
Wadsworth	640.00	908.80
Carson City	40,443.00	57,429.06
Reno	133,850.00	190,067.00
Sparks	53,367.00	75,781.14